

Wymiar zewnętrzny [mm]	Promień [mm]	Kąt gięcia	Długość [mm]
38.0 x 1.5	70	90°	100 / 100
38.0 x 1.5	70	45°	100 / 100
38.0 x 1.5	250	90°	100 / 100
38.0 x 1.5	250	45°	100 / 100
38.0 x 1.5	500	90°	100 / 100
38.0 x 1.5	500	45°	100 / 100
38.0 x 1.5	800	90°	200 / 200
38.0 x 1.5	800	45°	200 / 200
40.0 x 1.5	75	90°	100 / 100
40.0 x 1.5	75	45°	100 / 100
40.0 x 1.5	250	90°	100 / 100
40.0 x 1.5	250	45°	100 / 100
40.0 x 1.5	500	90°	200 / 200
40.0 x 1.5	500	45°	200 / 200
40.0 x 1.5	1000	90°	200 / 200
40.0 x 1.5	1000	45°	200 / 200
44.5 x 1.5	60	90°	90 / 90
44.5 x 1.5	60	45°	90 / 90
45.0 x 1.5	75	90°	100 / 100
45.0 x 1.5	75	45°	100 / 100
45.0 x 1.5	100	90°	50 / 50
45.0 x 1.5	100	45°	50 / 50
45.0 x 1.5	300	90°	200 / 200
45.0 x 1.5	300	45°	200 / 200
45.0 x 1.5	500	90°	200 / 200
45.0 x 1.5	500	45°	200 / 200
50.0 x 1.5	75	90°	100 / 100
50.0 x 1.5	75	45°	100 / 100
50.0 x 1.5	250	90°	100 / 100
50.0 x 1.5	250	45°	100 / 100
50.0 x 1.5	500	90°	200 / 200
50.0 x 1.5	500	45°	200 / 200

50.0 x 1.5	800	90°	200 / 200
50.0 x 1.5	800	45°	200 / 200
50.0 x 1.5	1000	90°	200 / 200
50.0 x 1.5	1000	45°	200 / 200
50.0 x 2.0	250	90°	200 / 200
50.0 x 2.0	250	45°	200 / 200
50.0 x 2.0	500	90°	200 / 200
50.0 x 2.0	500	45°	200 / 200
50.0 x 2.0	800	90°	200 / 200
50.0 x 2.0	800	45°	200 / 200
50.0 x 2.0	1000	90°	200 / 200
50.0 x 2.0	1000	45°	200 / 200
54.0 x 2.0	75	90°	100 / 100
54.0 x 2.0	75	45°	100 / 100
54.0 x 2.0	150	90°	100 / 100
54.0 x 2.0	150	45°	100 / 100
54.0 x 2.0	250	90°	100 / 100
54.0 x 2.0	250	45°	100 / 100
54.0 x 2.0	500	90°	200 / 200
54.0 x 2.0	500	45°	200 / 200
54.0 x 2.0	800	90°	200 / 200
54.0 x 2.0	800	45°	200 / 200
54.0 x 2.0	1000	90°	200 / 200
54.0 x 2.0	1000	45°	200 / 200
60.3 x 2.0	115	90°	150 / 150
60.3 x 2.0	115	45°	150 / 150
60.3 x 2.0	250	90°	200 / 200
60.3 x 2.0	250	45°	200 / 200
60.3 x 2.0	500	90°	200 / 200
60.3 x 2.0	500	45°	200 / 200
60.3 x 2.0	800	90°	200 / 200
60.3 x 2.0	800	45°	200 / 200
60.3 x 2.0	1000	90°	200 / 200
60.3 x 2.0	1000	45°	200 / 200
63.5 x 2.0	500	90°	200 / 200
63.5 x 2.0	500	45°	200 / 200
65.0 x 2.0	115	90°	150 / 150
65.0 x 2.0	115	45°	150 / 150

65.0 x 2.0	250	90°	200 / 200
65.0 x 2.0	250	45°	200 / 200
65.0 x 2.0	500	90°	200 / 200
65.0 x 2.0	500	45°	200 / 200
65.0 x 2.0	800	90°	200 / 200
65.0 x 2.0	800	45°	200 / 200
65.0 x 2.0	1000	90°	200 / 200
65.0 x 2.0	1000	45°	200 / 200
70.0 x 2.0	95	90°	180 / 180
70.0 x 2.0	95	45°	180 / 180
70.0 x 2.0	500	90°	200 / 200
70.0 x 2.0	500	45°	200 / 200
70.0 x 2.0	800	90°	200 / 200
70.0 x 2.0	800	45°	200 / 200
70.0 x 2.0	1000	90°	200 / 200
70.0 x 2.0	1000	45°	200 / 200
76.1 x 2.0	400	90°	200 / 200
76.1 x 2.0	400	45°	200 / 200
76.1 x 2.0	500	90°	200 / 200
76.1 x 2.0	500	45°	200 / 200
76.1 x 2.0	800	90°	200 / 200
76.1 x 2.0	800	45°	200 / 200
76.1 x 2.0	1000	90°	200 / 200
76.1 x 2.0	1000	45°	200 / 200
80.0 x 2.0	150	90°	200 / 200
80.0 x 2.0	150	45°	200 / 200
80.0 x 2.0	500	90°	200 / 200
80.0 x 2.0	500	45°	200 / 200
80.0 x 2.0	800	90°	200 / 200
80.0 x 2.0	800	45°	200 / 200
80.0 x 2.0	1000	90°	200 / 200
80.0 x 2.0	1000	45°	200 / 200
84.0 x 2.0	150	90°	200 / 200
84.0 x 2.0	150	45°	200 / 200
84.0 x 2.0	500	90°	200 / 200
84.0 x 2.0	500	45°	200 / 200
84.0 x 2.0	600	90°	100 / 100
84.0 x 2.0	800	90°	200 / 200

84.0 x 2.0	800	45°	200 / 200
84.0 x 2.0	1000	90°	200 / 200
84.0 x 2.0	1000	45°	200 / 200
85.0 x 2.0	500	90°	200 / 200
85.0 x 2.0	500	45°	200 / 200
88.9 x 2.0	250	90°	200 / 200
88.9 x 2.0	250	45°	200 / 200
88.9 x 2.0	500	90°	200 / 200
88.9 x 2.0	500	45°	200 / 200
88.9 x 2.0	800	90°	200 / 200
88.9 x 2.0	800	45°	200 / 200
88.9 x 2.0	1000	90°	200 / 200
88.9 x 2.0	1000	45°	200 / 200
100.0 x 1.5	500	90°	200 / 200
100.0 x 1.5	500	45°	200 / 200
100.0 x 1.5	800	90°	200 / 200
100.0 x 1.5	800	45°	200 / 200
101.6 x 2.0	500	90°	200 / 200
101.6 x 2.0	500	45°	200 / 200
101.6 x 2.0	800	90°	200 / 200
101.6 x 2.0	800	45°	200 / 200
101.6 x 2.0	1000	90°	200 / 200
101.6 x 2.0	1000	45°	200 / 200
104.0 x 2.0	250	90°	250 / 250
104.0 x 2.0	250	45°	250 / 250
104.0 x 2.0	500	90°	200 / 200
104.0 x 2.0	500	45°	200 / 200
104.0 x 2.0	800	90°	200 / 200
104.0 x 2.0	800	45°	200 / 200
104.0 x 2.0	1000	90°	200 / 200
104.0 x 2.0	1000	45°	200 / 200
114.3 x 2.0	150	90°	200 / 200
114.3 x 2.0	150	45°	200 / 200
114.3 x 2.0	500	90°	200 / 200
114.3 x 2.0	500	45°	200 / 200
114.3 x 2.0	800	90°	200 / 200
114.3 x 2.0	800	45°	200 / 200
114.3 x 2.0	1000	90°	200 / 200
114.3 x 2.0	1000	45°	200 / 200

129.0 x 2.0	500	90°	200 / 200
129.0 x 2.0	500	45°	200 / 200
129.0 x 2.0	800	90°	200 / 200
129.0 x 2.0	800	45°	200 / 200
129.0 x 2.0	1000	90°	200 / 200
129.0 x 2.0	1000	45°	200 / 200
154.0 x 2.0	500	90°	200 / 200
154.0 x 2.0	500	45°	200 / 200
154.0 x 2.0	1000	90°	150 / 150
154.0 x 2.0	1000	45°	150 / 150

**amra**  
TECHNOLOGY  
TECHNOLOGIE NAJWYŻSZEJ KLASY