

| Długość 200 mm Uszczelka EPDM, 4x śruby M12 | |
|--|----------------------|
| Wymiar zewnętrzny rury [mm] | Max. Ciśnienie [bar] |
| 60,3 | 20 |
| 70,0 | 20 |
| 75,0 | 20 |
| 76,1 | 20 |
| 80,0 | 18 |
| 82,0 | 14 |
| 84,0 | 14 |
| 85,0 | 14 |
| 88,9 | 14 |
| 90,0 | 10 |
| 100,0 | 11 |
| 101,6 | 11 |
| 104,0 | 11 |
| 106,0 | 9 |
| 108,0 | 11 |
| 110,0 | 9 |
| 114,3 | 10 |
| 125,0 | 5 |
| 127,0 | 5 |
| 129,0 | 5 |
| 133,0 | 4,5 |
| 139,7 | 4 |
| 154,0 | 4 |



AMRA TECHNOLOGY
NAJWYŻSZEJ KLASY

| Długość 150 mm Uszczelka EPDM, 3x śruby M12 | |
|--|----------------------|
| Wymiar zewnętrzny rury [mm] | Max. Ciśnienie [bar] |
| 60,3 | 18 |
| 70,0 | 18 |
| 75,0 | 18 |
| 76,1 | 18 |
| 80,0 | 16 |
| 82,0 | 12 |
| 84,0 | 12 |
| 85,0 | 12 |
| 88,9 | 12 |
| 90,0 | 10 |
| 100,0 | 10 |
| 101,6 | 10 |
| 104,0 | 10 |
| 106,0 | 8 |
| 108,0 | 10 |
| 110,0 | 8 |
| 114,3 | 9 |
| 125,0 | 4 |
| 127,0 | 4 |
| 129,0 | 4 |
| 133,0 | 3 |
| 139,7 | 2.5 |
| 154,0 | 2.5 |



NOLOGY
NAJWYŻSZEJ KLASY

| Długość 100 mm Uszczelka EPDM, 2x śruby M12 | |
|--|----------------------|
| Wymiar zewnętrzny rury [mm] | Max. Ciśnienie [bar] |
| 60,3 | 9 |
| 70,0 | 8 |
| 75,0 | 8 |
| 76,1 | 7 |
| 80,0 | 6 |
| 82,0 | 6 |
| 84,0 | 6 |
| 85,0 | 6 |
| 88,9 | 6 |
| 90,0 | 6 |
| 100,0 | 5 |
| 101,6 | 5 |
| 104,0 | 5 |
| 106,0 | 4 |
| 108,0 | 4 |
| 110,0 | 3 |
| 114,3 | 3 |
| 125,0 | 3 |
| 127,0 | 3 |
| 129,0 | 2.5 |
| 133,0 | 1.5 |
| 139,7 | 1 |
| 154,0 | 1 |



NOLOGY
NAJWYŻSZEJ KLASY